




# Electronic transfer of prescriptions using Bp Premier

# - WentWest -

Presented by: Katrina Otto Train IT Medical Pty Ltd <u>www.trainitmedical.com.au</u> enquiries@trainitmedical.com.au

© Train IT Medical Pty Ltd 07072020




## Acknowledgement of Country

Train IT Medical acknowledge the traditional owners and custodians of land and waterways we meet on today.

We wish to pay our respects to Aboriginal and Torres Strait Islander elders past, present and future.





support@wentwest.com.au | ph 8811 7117

#### **Further learning:**



#### Australian Digital Health Agency

Frequently Asked Questions | ADHA | document Dispenser Information | ADHA | document

#### Department of Health

Electronic Prescribing | Dept of Health | document Covid-19 National Health Plan Primary Care - Fast Track Electronic Prescribing | Dept of Health | Fact Sheet

#### MedicalDirector

The way we prescribe is changing – are you ready? | MedicalDirector | Blog and Patient Education Video Preparing your practice for ePrescribing | MedicalDirector | Checklist Why a lanified approach to ePrescribing roll-out is so crucial | MedicalDirector | blog



#### We share because we care

Over our years of presenting, training & consulting to medical practices, we have collated thousands of learning resources.

And now we want to share them with you - for FREE.

Our resources includes useful links, news articles, helpful documents, checklists, and much more.



View our dedicated COVID-19 page.

Read our latest COVID-79 Blog

TRAIN IT MEDICAL trainitmedical.com.au




#### Access eLearning course:


https://courses.trainitmedical.com.au/

#### **Enrolment Code: p8GsSTHo**

Course Materials


Presentation used in Nurse Connect WentWest Webinar
 Presentation used in WentWest & HealthDirect Webinar :
 Telehealth Video Consultations Guide | RACGP
 How to do video consultations well | ACRRM





## Learning Objectives:

- 1. Discuss the use of the token model and patient impact of changes to electronic prescribing.
- 2. Learn about the changes in the prescribing process in Bp Premier.
- 3. Explore ideas for improved use of My Health Record for medication management.




## What is ePrescribing?

- Alternative option to paper prescriptions.
- Not mandatory.
- Patients and prescribers choose between paper or electronic prescription.
- Federal and state legislation changes required to make ePrescribing legal.




## **Digital Health Technology – My Health Record**




trainitmedical.com.au


#### **Preparing for electronic prescriptions**



Updated version of eRX Script Exchange or MediSecure.



#### **Continual Progression**



trainitmedical.com.au

#### What are the benefits of ePrescribing?

- Supports telehealth services.
- Can minimise prescribing and dispense errors.
- Removes need for printing, sharing and storing paper prescriptions.
- Improves patient centred choice.
- May save patient travel if delivery service also available.
- It will be important if you want a progressive practice of the future.



#### Tokens



The solution for the delivery of electronic prescribing has been accelerated and will be progressively available from the end of May 2020 and will see a unique QR barcode known as a 'token' sent via an app (if your patient has one), SMS or email.

The token will be scanned by your pharmacist as a key to unlock the electronic prescription from an encrypted and secure electronic prescription delivery service.

If you have any repeats of a prescription, a new token will be sent to you when the prescription is dispensed. You will need to keep the token to send to your pharmacy when you need to get the repeat filled.

#### Active Script List



By the end of this year, more functionality will be available and in addition to the token, there will also be an option for your pharmacy to have a list of your active prescriptions in their software, so you don't have to forward it on.

To get your medicines you will need to prove your identity to the pharmacist and provide consent for the pharmacist to view your prescriptions.

#### **Electronic Prescriptions - ADHA**

臣

#### **Continual Progression**



trainitmedical.com.au

# First electronic prescription in primary care sent and dispensed in Victoria



consolidated view of their medications workflow.

Written by Kate McDonald on 08 May 2020.

Australia's first fully electronic prescription has been successfully prescribed and dispensed by a doctor and pharmacist in the Victorian town of Anglesea, using the token model developed by industry and regulators as an alternative to paper scripts.

The successful exchange was achieved using the Best Practice prescribing system, prescription exchange service eRx Script Exchange, Fred NXT Dispense and MedView Flow, a desktop tool that gives pharmacists a

The first script was exchanged between between Anglesea Medical and Anglesea Pharmacy. The process involves the doctor sending the electronic prescription to eRx along with a token that is sent to the patient by SMS or email. The patient then forwards the token to their chosen pharmacy or presents it in person, where it is scanned in, the prescription details are downloaded from eRx, and the medications are dispensed.

The Anglesea trial involved the entire electronic process of the token model: prescribing electronically in Best Practice, providing the patient with a token with the required number of repeats via eRx, sending the dispensing request to the pharmacy, integrating it into the pharmacy's workflow using Fred's MedView Flow, and then dispensing in Fred NXT.

Anglesea Medical GP David Corbet prescribed the first electronic prescription and said the process was as simple as writing the prescription in the usual manner and, with the consent of the patient, choosing to generate it as an electronic prescription.

#### Pulse IT


由



"So far so good.

# All looks very positive with great feedback from both the GPs and patients that have been involved with the testing."

Jacquie Morgan, Practice Manager, Rusden Street Medical Practice. Armidale NSW



trainitmedical.com.au

## **Multiple Medications**

- One token (QR code) per medication.
- Each token is scanned by pharmacy. Tokens will not contain multiple medications.
   5 medications = 5 tokens
- Can be sent to carer's phone or email.
- Apps will allow easier management.
- Active Script List will allow easier management.



## **Token Model**



Prescription tokens can be managed on mobile devices. The mobile device will display the token in a manner suitable for scanning using existing pharmacy equipment.



## Electronic prescriptions – Token Model Demo









Australian Government Australian Digital Health Agency

#### Security



Electronic prescriptions are fully encrypted with dual key encryption and use the PKI infrastructure to ensure there is no interception.



Token itself does not contain identifiable information.



- QR code holds an identifier which is a key used by the Prescription Delivery Service (PDS) to pull the prescription details from the database.
- Only has meaning once scanned into a PDS with the required connectivity and authorising process in place to check for a legitimate and legal request to the information.





#### **Preparing for electronic prescriptions**

Register the organisation with the Healthcare Identifiers (HI) Service

Apply for a NASH PKI Certificate

## Gather Healthcare Provider Identifier – Individuals (HPI-Is)

The HI Service is a national system for allocating a unique healthcare identifier to healthcare organisations (HPI-O), professionals (HPI-I), and consumers (IHI).

The organisation seed registration results in a Healthcare Provider Identifier – Organisation (HPI-O).

The HI Service is also used for My Health Record. The National Authentication Service (NASH) Public Key Infrastructure (PKI) Certificate is used to securely connect to the HI Service and share health information.

Healthcare Provider Identifier – Individual (HPI-I) - Identifies the individual clinician delivering healthcare. Configure a Prescription Delivery Service (PDS)


> Allows secure exchange of prescription information between prescribing and dispensing systems


Updated version of eRX Script Exchange or MediSecure.



## **Learning Objective 2:**

## Learn about the changes in the prescribing process in Bp Premier.






trainitmedical.com.au

0

#### Before we start...

#### What you need to know first:

- o eScripts functionality is turned off by default in Jade SP3.
- You will need to access our website, acknowledge your understanding of the use of Bp Premier eScript in your locality before you can download the utility that will switch on Electronic Prescribing.
- You do not need to contact Support to access the Utility. It will be available on our website when Jade SP3 is released in early June.




Watch Best Practice Software video

03:51

#### **Prescription ready in 10 Steps**

- 1. Connect to the HI service
- 2. Enter Prescriber Numbers
- 3. Enter Healthcare Provider Identifier-Organisation (HPI-O)
- 4. Enter HPI-Is for clinicians
- 5. Import patient IHI numbers
- 6. Once SP3 is released go to Bp website to download utility
- 7. Enable ePrescribing in Configuration
- 8. Enter AHPRA numbers
- 9. Connect to a Prescription Delivery Service (eRX or Medisecure)
- 10. Add carers' mobile and email details (as appropriate)



#### **Configuration – Healthcare Identifiers**

#### Practice

56


	B
Dr. Y	Provider No.: 1234567X
vor	Prescriber No : 1234557
ùre	Registration No.:
Employee doctor	Health Identifier: 8003610833334085
745049333	CPD No.:
411234543	Full time     O Part time     O Locum
	Vocationally registered DVA LMO
	Has appointments
Qualifications M.B.B.S	Has accounts ABN No:
	vor Dure Employee doctor 1745049333 1411234543


#### Practitioners (users)

## **Configuration System**

~ ^	Default HL7 export format: REF  V Use Argus format
General	Include a formatted text OBX in REF messages
Results import	Clear Safety Net numbers
Database	Reactivate inactive patients if they have notes recorded.
	Use the system generated patient ID as the 'Record Number' Update record numbers
Lists	Travel medicine link:
	Validate IHI after 99 days for My Health Record access.
Reminders	Import Certificates * NOTE: A Windows Administrator is required to import certificates.
	Enable ePrescriptions
Care plane	eScript timeout period (set to 0 for no timeout):
Emai	Enable Service Registration Assistant for management of users and locations
Bp Comms	Save Car

#### Verify details every contact – as per RACGP standards





## **Prepare Your Patients**



Introducing ePrescribing to Patients by Best Practice Software

## Set your patient's preference for eScript token

ľ	līde;	Mr.					5	Health Identifier	80036056789	9032		V	alida	te .	
1	Family name: *	Abbott						HI Status:	Active			Ver	fied		4
1	Given name: *	Alan					-	Medicare No.	4089050064	IRM	1	Expir	y 1	2/28	
1	Middle name:	John						Pension/HCC No :	1		Expiry		6/0	5/2020	v
-	Preferred name:	Al						Pension card type	Pensioner Con	cessio	m Can	d			~
1	Date of Birth:	9/06/196	1 v A	ge.	58 yrs			DVA No :					~	Const	s/m
-	Birth Sex	Male	~					Safety Net No				]			
(	Gender Identity:	Non-binary	~					Record No ::	101	Pa	itient l	D: 1	51		1
ł	Pronouna:	They/Them/Th	ieirs				4	Usual doctor:	Dr Frederick F	ndacı	ire v				
-	Ethnicity;	Aboriginal but n	not Tomes	Strait Is	lande	e	~	Deny access to othe	er users		E	1			
ł	Address Line 1	12 Jogger Street	et .					Usual visit type:			4	0			
4	Address Line 2:							Usual account:	Practice fee		Y				
(	Dity/Suburb	Albany Creek		Posto	ode	4035		Health Ins. Fund:				_	_		-
1	Postal Address:							Health Ins. No.:			Expiry		5/0	5/2020	×
Ì	City/Suburb			Posto	ode:		7	Religion:			matt				
1	Home phone:	4121 8976	Work p	shone:				Head of family	Self				Se	et	
1	Mobile phone:	0419710047	Contac	t via:	Mobi	le ph.	$\sim$	Next of kin:	Madeline Abbo	tt		_	Se	st	
-	E-mail:	fpyefinch@bigg	mos broc					Emergency contact:				_	Se	at	
C	Consents to:						_	Occupation:	Test				Se		
Г	Opt out de-ide	ntified data shar	ng					Health Care Home	Loop .	100		- Valer Jo	11220		1.1-
Ē		ss of all family me	-					eScript Token:	1000	1011		105/2	444	Y	HC
Ľ	Update addres	ss of all currently	at origina	l addres	5			e script: Taken,	SMS (Default)	Ň.	~				
-	These name field	ds are used for H	leath Ider	ntfier loo	okupa	N.			SMS (Default)	-		1			
1	Created By:	Frederick Findad	ure.					Last Updated By:	SMS (Other) Email (Default)						
	Created On:	18/85/2006 12	LEAT DM					Last Updated On:	Email (Other)	<u>e</u>	1				

## Prescribing


 Upload to My Health Record via eRx

Availability:		-	2				
	254274000000	Repeats	Restriction		BPP	TGP/SPC	
		5	PBS/RPBS Auth (Stre	amlined)	\$ 4.00	\$ 0.00	_
	4	5	RPBS Auth		\$ 0.00	\$ 0.00	
	Quantity: 4		Re	epeats: 5	Regulat	ion 24	
	Prescribe as:			) Private	Urgent	supply (Owing script	)
<b>→</b> [	Vilow brand subst		1 via eRx				
PBS Listing:	RPBS Authority requires Restriction: Preserve Clinical criteria: * Patient must be on	ation of bo	glucocorticoid therapy,	AND		^	
	" Patient must be un or equivalent per day		ontinuous treatment with	a dose equal to	or greater than 7	7.5 mg of prednisone	~
Generate note:	or equivalent per day		ontinuous treatment with	a dose equal to	or greater than 7	7.5 mg of prednisone	~
Generate note:	or equivalent per day	y, AND ed hospital y specialist y patient	ontinuous treatment with	a dose equal to	or greater than 7	7.5 mg of prednisone	~ ~
Generate note:	Medication prescribe Medication started in Medication started b Medication started b	y, AND ed hospital y specialist y patient	ontinuous treatment with	a dose equal to	or greater than 7		~
Generate note:	Medication prescribe Medication started in Medication started b Medication started b Medication started b	y, AND ed hospital y specialis y patient lsewhere	ontinuous treatment with	a dose equal to	or greater than 7		~ ~

## Prescribing

ile Open Reguest Clinical View Utilitie			Help	A 1 18			
	5 📓	2 🏤 🔣   🐸 🛙	M 💐 🔤 🖩	1 💠 🚯			
amily members:	~ Jump	Open					
lame: Nan "Al" Abbott		D.O.B.: 09/06/		Birth Sex: Male	15m 44s	THE REPORT OF THE PARTY OF THE	My Health Recor
Address: 12 Jogger Street Albany Creek 4035 Medicare No: 4089050064 - 1 12/28 Record	No: 101	Pension No.: 1	8976 (m) 041971004		Gende	er: Non-binary F	Pronouns: They/Then
	INO. IUI		-	Comment:			3
Occupation: Test		Tobacco: Smoke	s 22 cigarettes/day.	Alcohol: Moderate	Elte s		Ethnicity: Aboriginal
Blood Group:					Advan	ce Health Directive:	Yes
Allergies / Adverse Drug Reactions:	Reactions	Notifications:		Fagt Sheets	Preventive Health	Actions	Reminders
tem Reaction	Severity ^	Туре	Due F	Reason	10	10	
Withania Somnifera Rash	Severe	Reminder due	25/12/2019 B	P Check			
ACE Inhibitors Cough	Moderate	Reminder sent	waters i that water i the	hysical activity assess	need Sent on 03	/12/2019	
Anticoagulants Rash	Moderate	Reminder sent		ealth assessment			
Bactrim Nausea	Moderate *	Reminder sent		athma review Sent or		3	
4	3	<	10 10 2010 11				
	-	1979 H 197			Token 1915		1 Participation and a second
Evenand Collarses		2/14		Dard a Science	AL FUNCTI CU		<ul> <li>Even all conserve.</li> </ul>
Espand <u>C</u> ollapse		Add Edt	Tok the house	<u>Pin</u> eScrip			Run all checks
Egpand Gollapse	∧ Scrip	-		s of the Reps that you want	to print	and a second sec	Fun all checks
Mr. Alan John Abbott	A Scrip	-			to print	and a second sec	
Mr. Alan John Abbott	1000	-		s of the Reps that you want	to print	Select al Se	lect red
Mr. Alan John Abbott	Dru	ot date: 16/04/2020	tens in red ha	of the tens that you want we been calculated to have	to print e been fully used	Select al Se	lect and
Mr. Alan John Abbott Today's notes Abbott Past visits	Dru	pt date: 16/04/2020 [	Strength	of the Rens that you want we been calculated to have Dose	to print seen fully used Gwectity Rots 1x30mL 2	Select al Select al Select al Script brue	Long term Last scr Yes 16/04/20
Mr. Alan John Abbott Today's notes Past visits Current Rx	Dru F	pt date: 15/04/2020 [ g name Bacon 0.1% Lotion Nuclide 250 CFC-Free 250 Metformin 1.000mg Tablet	Strength	of the trens that you want we been calculated to have Dose Apply Twice a day p.r.n.	to print e been fully used Gwardity Pots 1x30mL 2 th 1 1x 120 dose 5 90 5	Select al Script type Non-PBS PBS RPBS	And med Long Term Last son Yes 16/04/21 Yes 15/04/21 Yes 15/04/21
Mr. Alan John Abbott Today's notes Abbott Past visits	Du Du e a de	g name Bocon 0.1% Lotion Rixotide 250 CFC-Free 250 Verformin 1.000mg Tablet Xoxine 0.1mg Tablet	tems in red ha Strength 0.1% mog in/250mog 1,000mg 0.1mg	of the Registrication of the Registricationo	to print been fully used 0 ventity Pots 1x30mL 2 th 1 x120 dose 5 90 5 200 1	Select al	Leng Term Lest son Yes 16/04/21 Yes 15/04/21 Yes 15/04/21 Yes 15/04/21 Yes 14/04/21
Mr. Alan John Abbott Today's notes Past visits Current Rx	e a de Co	g name Bocon 0.1% Lotion Axotide 250 CFC-Free 250 Metformin 1.000mg Tablet Xowine 0. Img Tablet Dzmep 20mg Tablet	tems in red ha Strength 0.1% 1.000mg 0.1mg 20mg	of the Rens that you ware we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daty	to print e been fully used 1x30mL 2 th 1 1x120 dose 5 90 5 200 1 30 1	Select al Script bore Non-PBS PBS RPBS PBS RPBS Auth (S1	Leng term Last scr Yes 16/04/2 Yes 15/04/2 Yes 15/04/2 Yes 14/04/2 Yes 14/04/2
Mr. Alan John Abbott Today's notes Past visits Current Rx Bocon 0.1% Lation Apply Twice Pixotide 250 CFC-Free 250mcg	e a de Inhal	pt date: 15/04/2020 [ g name Bocon 01% Lotion Rixotide 250 CFC-Free 250 Metformin 1.000mg Tablet Zimeip 20mg Tablet Zimeip 20mg Tablet Paroxetine 20mg Tablet	tens in red ha Strength 0.1% mog in/ 250mog 1,000mg 0.1mg 20mg 20mg	of the Rens that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Four times a day wi In the morning 1 Tablet Daily 1 Tablet Three times a day	to print = been fully used Gweetity Pots 1x30mL 2 th 1x120 dose 5 90 5 200 1 30 1 y 30 5	Select al Scipt boxe Non-PBS PBS PBS PBS PBS RPBS Auth (SI PBS	Learning Term Last scr Yes 16/04/2 Yes 15/04/2 Yes 15/04/2 Yes 14/04/2 Yes 14/04/2 Yes 14/04/2
Mr. Alan John Abbott Today's notes Past visits Current Rx Bocon 0.1% Lotion Apply Twice	e a de lo ce	g name Bacon 0.1% Lotion Rixotide 250 CFC-Free 250 Aetformin 1,000mg Tablet Droxine 0.1mg Tablet Damep 20mg Tablet arroxetine 20mg Tablet Ruide 300mg Tablet	tems in red ha Strength 0.1% mog ini 250mog 1,030mg 0.1mg 20mg 20mg 300mg	of the items that you want we been calculated to have Dose Apply Twice a day p rn. 2 puffs Four times a day w In the morning 1 Tablet Daily 1 Tablet Three times a day 1 Tablet Three times a day	to print = been fully used 1x30mL 2 th 1x120 dose 5 90 5 200 1 y 30 5 5 0	Select al Select al Select al Select al Select boxe Non-PBS PBS PBS PBS PBS PBS Auth (SI' PBS PBS	Learning Terrin Last sorr Yes 16/04/2 Yes 15/04/2 Yes 15/04/2 Yes 14/04/2 Yes 14/04/2 Yes 14/04/2 No 15/04/2
Mr. Alan John Abbott Today's notes Past visits Current Rx Bocon 0.1% Lation Apply Twice Pixotide 250 CFC-Free 250mcg	e a de Constante de la de Constante de Const	g name Bocon 0.1% Lotion Bocon 0.1% Lotion Mustide 250 CFC-Free 250 Metformin 1.000mg Tablet Droxine 0.1mg Tablet Droxine 0.1mg Tablet Droxine 20mg Tablet Paroxetine 20mg Tablet Audide 300mg Tablet Bymbicont Rapihaler 100/3	tems in red ha Strength 0.1% mog ini 250mog 1,000mg 0.1mg 20mg 20mg 300mg 100mc 100mog.3mog	of the Reas that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day wi In the moming 1 Tablet Daily 1 Tablet Daily 2 Doses in the moming	to print e been fully used Swartity Pots 1x30mL 2 th 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120dose 5	Select al	And the formation of th
Mr. Alan John Abbott     Today's notes     Past visits     Socon 0.1% Lation Apply Twice     P Risotide 250 CFC-Free 250mcg     Metformin 1.000mg Tablet     P Oroxine 0.1mg Tablet In the more	e a de la construir de la cons	pt date: 15/04/2020 [ g name Bocon 0.1% Lotion Postide 250 CFC-Free 250 deformin 1.000mg Tablet Posine 0.1mg Tablet Posine 0.1mg Tablet Posine 20mg Tablet Pariote 20mg Tablet Pariote 300mg Tablet Nymbicot Rephaler 100/3 (ventolin CFC-Free 100mcg.	teens in red ha Strength 0.1% mog in/ 250mog 1.000mg 0.1mg 20mg 20mg 300mg 100mc 100mcg:3mcg /dose ii 100mcg/dose	of the Rede that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daity 1 Tablet Daity 2 Doses in the morning 1.2 puffs Every 4 hours p.r	to print e been fully used 1x30mL 2 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120 dose 5 rn. 2x200 dose 5	Select al	Leng Term Yes 16/04/2 Yes 15/04/2 Yes 15/04/2 Yes 15/04/2 Yes 14/04/2 Yes 14/04/2 No 15/04/2 Yes 14/04/2 Yes 14/04/2 Yes 14/04/2
Mr. Alan John Abbott     Today's notes     Past visits     Socon 0.1% Lation Apply Twice     P Rixotide 250 CFC-Free 250mcg     Metformin 1,000mg Tablet     Oroxine 0.1mg Tablet In the more     Ozmep 20mg Tablet 1 Tablet D	e a di Inhal OF States a di States a di St	g name Bocon 0.1% Lotion Bocon 0.1% Lotion Mustide 250 CFC-Free 250 Metformin 1.000mg Tablet Droxine 0.1mg Tablet Droxine 0.1mg Tablet Droxine 20mg Tablet Paroxetine 20mg Tablet Audide 300mg Tablet Bymbicont Rapihaler 100/3	tems in red ha Strength 0.1% mog in/ 250mog 1,000mg 0.1mg 20mg 20mg 300mg 100mc 100mog.3mog	of the Reas that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day wi In the moming 1 Tablet Daily 1 Tablet Daily 2 Doses in the moming	to print e been fully used Swartity Pots 1x30mL 2 th 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120dose 5	Select al	Leng Term Yes 16/04/2 Yes 15/04/2 Yes 15/04/2 Yes 15/04/2 Yes 14/04/2 Yes 14/04/2 No 15/04/2 Yes 14/04/2 Yes 14/04/2 Yes 14/04/2
Mr. Alan John Abbott Today's notes Past visits Current Rx Bocon 0.1% Lotion Apply Twice Pixotide 250 CFC-Free 250mcg Metformin 1.000mg Tablet Oroxine 0.1mg Tablet In the more	e a di Inhal OF States a di States a di St	pt date: 15/04/2020 [ g name Bocon 0.1% Lotion Postide 250 CFC-Free 250 deformin 1.000mg Tablet Posine 0.1mg Tablet Posine 0.1mg Tablet Posine 20mg Tablet Pariote 20mg Tablet Pariote 300mg Tablet Nymbicot Rephaler 100/3 (ventolin CFC-Free 100mcg.	teens in red ha Strength 0.1% mog in/ 250mcg 1,000mg 0.1mg 20mg 20mg 300mg 100mc 100mcg:3mcg /dose ii 100mcg/dose	of the Rede that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daity 1 Tablet Daity 2 Doses in the morning 1.2 puffs Every 4 hours p.r	to print e been fully used 1x30mL 2 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120 dose 5 rn. 2x200 dose 5	Select al	Leng Term Yes 16/04/2 Yes 15/04/2 Yes 15/04/2 Yes 15/04/2 Yes 14/04/2 Yes 14/04/2 No 15/04/2 Yes 14/04/2 Yes 14/04/2 Yes 14/04/2
Mr. Alan John Abbott Today's notes Past visits Government Rx Biocon 0.1% Lotion Apply Twice Flixotide 250 CFC-Free 250mcg Metformin 1,000mg Tablet Oroxine 0.1mg Tablet In the more Ozmep 20mg Tablet 1 Tablet Div	e a da inhal Du saly 2	pt date: 15/04/2020 [ g name Bocon 0.1% Lotion Postide 250 CFC-Free 250 deformin 1.000mg Tablet Posine 0.1mg Tablet Posine 0.1mg Tablet Posine 20mg Tablet Pariote 20mg Tablet Pariote 300mg Tablet Nymbicot Rephaler 100/3 (ventolin CFC-Free 100mcg.	teens in red ha Strength 0.1% mog in/ 250mcg 1,000mg 0.1mg 20mg 20mg 300mg 100mc 100mcg:3mcg /dose ii 100mcg/dose	of the Rede that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daity 1 Tablet Daity 2 Doses in the morning 1.2 puffs Every 4 hours p.r	to print e been fully used 1x30mL 2 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120 dose 5 rn. 2x200 dose 5	Select al	Leng Term         Lest son           Yes         16/04/2i           Yes         15/04/2i           Yes         15/04/2i           Yes         14/04/2i
Mr. Alan John Abbott Today's notes Past visits Current Rx Bocon 0.1% Lotion Apply Twice Rixotide 250 CFC-Free 250mcg Metformin 1.000mg Tablet Oroxine 0.1mg Tablet 1 Tablet Paroxetine 20mg Tablet 1 Tablet Symbicot Rapihaler 100/3 100r	e a de Constante de la de Constante de Consta	pt date: 15/04/2020 [ g name Bocon 0.1% Lotion Postide 250 CFC-Free 250 deformin 1.000mg Tablet Posine 0.1mg Tablet Posine 0.1mg Tablet Posine 20mg Tablet Pariote 20mg Tablet Pariote 300mg Tablet Nymbicot Rephaler 100/3 (ventolin CFC-Free 100mcg.	teens in red ha Strength 0.1% mog in/ 250mcg 1,000mg 0.1mg 20mg 20mg 300mg 100mc 100mcg:3mcg /dose ii 100mcg/dose	of the Rede that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daity 1 Tablet Daity 2 Doses in the morning 1.2 puffs Every 4 hours p.r	to print e been fully used 1x30mL 2 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120 dose 5 rn. 2x200 dose 5	Select al	Leng Term         Lest son           Yes         16/04/2i           Yes         15/04/2i           Yes         15/04/2i           Yes         14/04/2i
Mr. Alan John Abbott Today's notes Past visits Current Rx Bocon 0.1% Lotion Apply Twice Pixotide 250 CFC-Free 250mcg Metformin 1.000mg Tablet Oroxine 0.1mg Tablet 1 Tablet Ozmep 20mg Tablet 1 Tablet D Paroxetine 20mg Tablet 1 Tablet Symbicott Rapihaler 100/3 100r Vertolin CFC-Free 100mcg/dose	e a de Constante de la de Constante de Const	pt date: 15/04/2020 [ g name Bocon 0.1% Lotion Postide 250 CFC-Free 250 deformin 1.000mg Tablet Posine 0.1mg Tablet Posine 0.1mg Tablet Posine 20mg Tablet Pariote 20mg Tablet Pariote 300mg Tablet Nymbicot Rephaler 100/3 (ventolin CFC-Free 100mcg.	teens in red ha Strength 0.1% mog in/ 250mcg 1,000mg 0.1mg 20mg 20mg 300mg 100mc 100mcg:3mcg /dose ii 100mcg/dose	of the Rede that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daity 1 Tablet Daity 2 Doses in the morning 1.2 puffs Every 4 hours p.r	to print e been fully used 1x30mL 2 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120 dose 5 rn. 2x200 dose 5	Select al	Leng Term Yes 16/04/2 Yes 15/04/2 Yes 15/04/2 Yes 15/04/2 Yes 14/04/2 Yes 14/04/2 No 15/04/2 Yes 14/04/2 Yes 14/04/2 Yes 14/04/2
Mr. Alan John Abbott Today's notes Past visits Current Rx Bocon 0.1% Lotion Apply Twice Rixotide 250 CFC-Free 250mcg Metformin 1.000mg Tablet Oroxine 0.1mg Tablet 1 Tablet Paroxetine 20mg Tablet 1 Tablet Symbicot Rapihaler 100/3 100r	e a de Constante de la de Constante de Const	pt date: 15/04/2020 [ g name Bocon 0.1% Lotion Postide 250 CFC-Free 250 deformin 1.000mg Tablet Posine 0.1mg Tablet Posine 0.1mg Tablet Posine 20mg Tablet Pariote 20mg Tablet Pariote 300mg Tablet Nymbicot Rephaler 100/3 (ventolin CFC-Free 100mcg.	teens in red ha Strength 0.1% mog in/ 250mcg 1,000mg 0.1mg 20mg 20mg 300mg 100mc 100mcg:3mcg /dose ii 100mcg/dose	of the Rede that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daity 1 Tablet Daity 2 Doses in the morning 1.2 puffs Every 4 hours p.r	to print e been fully used 1x30mL 2 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120 dose 5 rn. 2x200 dose 5	Select al	Leng Term         Lest son           Yes         16/04/2i           Yes         15/04/2i           Yes         15/04/2i           Yes         14/04/2i
Mr. Alan John Abbott     Today's notes     Past visits     Decent Rx     Bocon 0.1% Lotion Apply Twice     PRotide 250 CPC-Free 250mcg     Metformin 1.000mg Tablet     Oraxine 0.1mg Tablet In the mod     Ozmep 20mg Tablet 1 Tablet     Paroxetine 20mg Tablet 1 Table     Symbicot Rapinaler 100/3 100r     Ventolin CPC-Free 100mcg/door     Zopicione 7.5mg Tablet 1 Table	e a de Constant Inhal Constant ally Constant	pt date: 15/04/2020 [ g name Bocon 0.1% Lotion Pixotide 250 CFC-Free 250 deformin 1.000mg Tablet Domep 20mg Tablet Domep 20mg Tablet Paroxetine 20mg Tablet Ruide 300mg Tablet Symbicot Repihaler 100/3 (ventolin CFC-Free 100mcg.	teens in red ha Strength 0.1% mog in/ 250mcg 1,000mg 0.1mg 20mg 20mg 300mg 100mc 100mcg:3mcg /dose ii 100mcg/dose	of the Rede that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daity 1 Tablet Daity 2 Doses in the morning 1.2 puffs Every 4 hours p.r	to print e been fully used 1x30mL 2 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120 dose 5 rn. 2x200 dose 5	Select al	Leng Term         Lest son           Yes         16/04/2i           Yes         15/04/2i           Yes         15/04/2i           Yes         14/04/2i
Mr. Alan John Abbott Today's notes Past visits Descent Rx Descent	e a de Constante de la de Constante de Const	pt date: 15/04/2020 [ g name Bocon 0.1% Lotion Pixotide 250 CFC-Free 250 deformin 1.000mg Tablet Domep 20mg Tablet Domep 20mg Tablet Paroxetine 20mg Tablet Ruide 300mg Tablet Symbicot Repihaler 100/3 (ventolin CFC-Free 100mcg.	teens in red ha Strength 0.1% mog in/ 250mog 1.000mg 0.1mg 20mg 20mg 300mg 100mc 100mcg:3mcg /dose ii 100mcg/dose	of the Rede that you want we been calculated to have Dose Apply Twice a day p.r.n. 2 puffs Fourtimes a day w In the morning 1 Tablet Daity 1 Tablet Daity 2 Doses in the morning 1.2 puffs Every 4 hours p.r	to print e been fully used 1x30mL 2 1x120 dose 5 90 5 200 1 30 1 y 30 5 5 0 2x120 dose 5 rn. 2x200 dose 5	Select al	Leng Term         Lest son           Yes         16/04/2i           Yes         15/04/2i           Yes         15/04/2i           Yes         14/04/2i


## **3 ways to receive an eScript**



Token via emailToken via SMS (patient no. or 'other')Token printed on paper

日

#### Or enter a carer's number while prescribing



trainitmedical.com.au

#### **Carer details**

	Marital status:	~	
Family	Sexuality:	~	
	Elite Athlete:	Yes No	
Social	Advance Care Directive:	Enduring Guardian:	~
P	On screen comment:		
ccupation	Recreational activities:		
	Accommodation:	Lives with:	~
<u>y</u> _	Has carer:	Yes V Carer details carer:	~
Alcohol	Do you feel safe in your o	wn home? 📋 Yes 🔄 No	
-9	🗶 Carer	×	
Tobacco	Title:	~	~
	First name:		$\sim$
	Sumame:		Save Cancel
-	Address:		
	City/Suburb:	Postcode:	
	Phone contact:		
	Relationship:		
	Save	Delete Cancel	

#### eScript – send and success

Add Script date:	Edit 6/05/2020	۵.	Tick the box	tes of the tents of have been calco	in hud of		SMS (Other) Select all	. M Sm	Run a	il checka Prescription	1 and Dispense \	Aew			
Drug name ] Fosamax P / Kellex 500		nog Tabl	Strength 70mg 140m 500mg	Dose cg. In the evening Twice a day	Quantity 4 20	Pi 5 0	ots Sonpt Mun.PS	c v. ine num	ber bertoser eScript		Approval No.	X	Reg. 24 No No	First script 06/05/2020 06/05/2020	Reason for prescript
											Ν				

## **Check eScript before transmitting**

	Metformin 1,000mg Tablet	1,000mg	2 pulls rour unles a day with	90 200	5	RPBS PBS	Yes Yes	15/04/ 15/04/ 14/04/
	Oroxine 0.1mg Tablet Ozmep 20mg Tablet	0.1mg 20mg	In the morning	200	1	PBS Auth (		14/04/
	Paroxetine 20mg Tablet	20mg	New Rx			5	Yes	14/04/
l	Rulide 300mg Tablet	300mg	Cease Rx			s	No	15/04/
	Symbicort Rapihaler 100/3 100n	-				S/RPBS		14/04/
	Ventolin CFC-Free 100mcg/dose	-	Change brand/strength			S/OTC n-PBS	Yes	14/04/ 30/03/
ľ	Sopiclone 7.5mg Tablet	7.5mg	Edit dose			1-PBS	Yes	30/03/
l			Change quantity/repeats					
l			Edit authority details					
l			Edit reason for prescription	on				
l			Show compliance					
l			No substitution					
l	<	-	Open MIMS Product Info	rmation				
			Open Consumer Medicin	es Informat	ion	1/2020.1	0.52.00.41	
0	on)	_	Edit consent for My Healt	th Record		4/2020 1	0:53:08 AI	M
		-	Emergency supply					
			Preview eScript					

#### × Review eScript e Script Date: 16/04/2020 **Dr Frederick Findacure** cation St aberg 4670 54327589 criber No.: 660952 Alan John Abbott ogger Street any Creek 4035 licare no.: 4089050064/1 scription type: RPBS nd substitution permitted nep 20mg Tablet blet Daily ntity: 30 1 repeat. nonity Form No.: ne Approval No.: vious Authority: Yes cation for Authority: tro-oesophageal reflux disease



臣




More FAQs from ADHA https://www.digitalhealth.gov.au/get-started-with-digital-health/electronic-prescriptions



# What if a script does not send?

A: You will get an error message and will default to print and mark the script as printed.





# What about repeat prescriptions?

A: Generate as normal and select eScript to send the token to the patient.

Any future repeat tokens will be provided by the pharmacist directly to the patient.

Once prescription expires, repeat tokens will not be active for use.

ADHA FAQs

中



# What if you lose or delete a token?

A: Doctor can select prescription reissue token.

ADHA FAQs

臣

trainitmedical.com.au

### **Reissue for lost or deleted tokens**

Represcribe Search by drug	0. 0715. 01. 54	lete Reprint	]Include deleted	- 1	
Script date	Script item		Dose	Doctor	
30/04/2020	Oroxine 0.1mg Tablet		In the morning	Dr F. Findacure	
30/04/2020	Amlodipine 5mg Tablet		1 Daily	Dr F. Findacure	🚶 Resend token
30/04/2020	Ozmep 20mg Tablet		1 Daily	Dr F. Findacure	Kesend token
30/04/2020	Ventolin CFC-Free 100m	cg/dose inhaler	1-2 puffs Every 4 hours p.r.n.	Dr F. Findacure	
01/05/		and the second	an and an an an and an an all and an an an	Dr F. Findacure	Email (Other)
01/05/	Represcribe		Apply Twice a day p r.n.	Dr F. Findacure	
01/05/	View	1	1 Once a week	Dr F. Findacure	Enter the email address to send the token to:
01/05/	Cancel aScript	g/dose inhaler	1-2 puffs Every 4 hours p.r.n.	Dr F. Findacure	
04.4K	Decand taken	0mcg Inhaler	2 puffs Four times a day wit	Dr F. Findacure	
0.1/05//	Resend token	and the second second	1 Daily	Dr F. Findacure	
01/05/	Open visit		1 Daily	Dr F. Findacure	Enter the number to send the token to:
01/05/2020	Paroxetine 20mg Tablet	-	1 Three times a day	Dr F. Findacure	
01/05/2020	Ozmep 20mg Tablet		1 Daily	Dr F. Findacure	0419710047
01/05/2020	Zopiclone 7.5mg Tablet		1 Before bed	Dr F. Findacure	
01/05/2020	Symbicort Rapihaler 100	)/3 100mcg;3mcg Rapih	2 In the morning	Dr F. Findacure	<u>S</u> end
05/05/2020	Atenolol 50mg Tablet		1 Daily	Dr F. Findacure	
05/05/2020	Metformin 1,000mg Tab	et		Dr F. Findacure	
06/05/2020	Amlodipine 5mg Tablet		1 Daily	Dr F. Findacure	
06/05/2020	Atenolol 50mg Tablet		1 Daily	Dr F. Findacure	

×

<u>C</u>ancel

### **Cancelling an eScript**

Represcripe	Veg	Delete	Regrint		
Search by drug	1:		v	Include deleted	
ionpt date	Script item			Dose	Doctor
4/04/2020	Elocon 0.1% Lo	notion		Apply Twice a day p r.n.	Dr F. Findacure
4/04/2020	Fixotide 250 Ci	FC-Free 250mcg	Inhaler	2 puffs Four times a day wit	Dr F. Findacure
4/04/2020	Metformin 1,00	Contraction of the second second			Dr F. Findacure
4/04/2020	Paroxetine 20m	g Tablet		1 Three times a day	Dr F. Findacure
4/04/2020	Amoxicilin 250			1 Three times a day	Dr F. Findacure
4/04/2020	Ononine 0.1mg			the moming	Dr.F. Findacure
4/04/2020	Skyrtzi 75mg Sc	plution Rep	prescribe	ally	Dr F. Findacure
4/04/2020	Tramal SR 200	200m Vie	59V	laily	Dr F. Findacure
5/04/2020		ny Cal Ca	ncel eScript	hvee times a day	Dr F. Findacure
5/04/2020	Bocon 0.1% Lo	tion		bly Twice a day p.r.n.	Dr F. Findacure
5/04/2020	Elecon 0.1% Lo	tion	print token	ity Twice a day p.r.n.	Dr F. Findacure
5/04/2020	Rixotide 250 Cl	FC-Fre Op	en visit	uffs Four times a day wit	Dr F. Findacure
5/04/2020	Rixotide 250 Ci	FC-Free 250mcg	Inhaer	2 puffs Four times a day wit	Dr F. Findacure
5/04/2020	Levodopa/Cart	oidopa 200mg.50	mg Tablet, mor	df 1 Daily	Dr F. Findacure
5/04/2020	Levodopa/Cart	oidopa 200mg,50	mg Tablet, mor	df 1 Daily	Dr F. Findacure
5/04/2020	Fosamax Once	Weekly 70mg Ta	ablet	1 Once a week	Dr F. Findacure
5/04/2020	Fosamax Once	Weekly 70mg Tr	ablet	1 Once a week	Dr F. Findacure
5/04/2020	Metformin 1,00	Omg Tablet			Dr F. Findacure
5/04/2020	Metformin 1,00	Omg Tablet			Dr F. Findacure
5/04/2020	Rulide 300mg 1	Tablet		1 Daily	Dr F. Findacure
5/04/2020	Rulide 300mg 1	Tablet		1 Daily	Dr F. Findacure
6/04/2020	Elocon 0.1% Lo	tion		Apply Twice a day p.r.n.	Dr F. Findacure
6/04/2020	Bocon 0.1% Lo	otion		Apply Twice a day p.r.n.	Dr F. Findacure
6/04/2020	Ozmep 20mg T	ablet		1 Daily	Dr F. Findacure
6/04/2020	Ozmep 20mg T	ablet		1 Daily	Dr F. Findacure

- 1. Enter contact note as to why you are cancelling
- 2. Reception updates mobile number in demographics
- 3. Doctor selects prescription > right click > cancel escript
- 4. eScript will be removed from the prescription exchange
- 5. Doctor generates new script and sends new token.

### **Owing Scripts**

- An eScript will be sent to the eScript Exchange
- Token will not be sent to the patient as the medication has already been dispensed by the pharmacist
- Printed token will be generated on plain paper
- The doctor is required to provide printed token to pharmacy via scanning and emailing, fax, post, etc.

Availability:	Quantity	Repeats	Restriction	BPP	TGP/SPC	
	4	5	PBS/RPBS Auth (Streamlined)	\$ 4.00	\$ 0.00	
	4	5	RPBS Auth	\$ 0.00	\$ 0.00	
	Quantity: 4		Repeats: 5	Regula	tion 24	
	Prescribe as:	<b>19.</b> (19.107)	•		supply (Owing script)	
	V Allow brand subs		via eRx			
PBS Listing:	RPBS Authority required Restriction: Preserv Clinical criteria: * Patient must be or * Patient must be ur or equivalent per da	ation of bon long-term g idergoing co	e mineral density lucocorticoid therapy, AND ntinuous treatment with a dose equal	to or greater than 7	7.5 mg of prednisone	
Generate note:						
	Medication prescrib Medication started i Medication started I Medication started I Medication started	n hospital by specialist by patient			^ •	
	Mark for printing		Mark as printed		Product Info	mation
	Once only prescr	iption	Long term medication		CMI	



# How can I tell if a script was printed or sent by eScript token?

A: Look in Past Prescriptions for the new column eScripts. If sent via eScript token there will be a Yes in that column.



由




# What about controlled drugs?

A: Controlled Drugs and Schedule 8 drugs can be prescribed by eScripts.

For states that require password confirmation of controlled drugs you will be prompted to enter the password when sending the eScript token.

If you are prescribing multiple controlled drugs for the same patient in one day, you will only need to enter the password once.



ADHA FAQs



# What if a prescription needs to be cancelled?

A: Doctors can cancel an eScript and that will remove it from the eScript exchange.

They can then issue a new script and new eScript token.


ADHA FAQs

由



### **Learning Objective 3**


Explore ideas for improved use of My Health Record for medication management.



Standard 1.3 "Expect to Share"


# "Health Professionals should expect to share their health information with colleagues and with patients to facilitate safe and effective health care"

RACGP Quality Health Records in Australian Primary Healthcare




### My Health Record: Easily accessible across healthcare settings

臣



trainitmedical.com.au

#### How are healthcare providers using it?



My Health Record

Statistics and Insights

My Health Becord MAR 2019 TO MAR 2020

🥱 File Patient Edit Summaries Tools Clinical Corresponde	nce Assessn	nent Resources Sideba	ir MyHealthRecord Window	Help
🛨 🗕   R. 🧭 🖄   🧨 🎔 🥼 🔨 🤇   👔 😰 🦉	@ @ <b>4</b> (	) 🖄 🕱 🖨 📂 🕯		Go MD
Mrs Laura Curtin (83yrs 2mths) V DOB: 05/03/1937 Gender:	Female	Occupation:		Om 59s 📙
87 Chapman Ave. Gurnang. Nsw 2787 Ph: 0455555	i555 (mobile)	Record No:	ATSI: Neither Aboriginal nor 1	Forres Strait Islander
Allergies & Nil known	~	Pension No:	Ethnicity:	
Adverse Reactions:	~	Smoking Hx: Never smoke	ed IHI No: 8003 6085 0004 5331	
Warnings:		) MyH	lealthRecord: Exists with access perr	mission as of 17/05/2020
🙂 Summary R. Current Rx 🦻 Progress 🛅 Past history 🚵	Results 🗎	Letters 🎁 Documents	s 🕮 Old scripts 💉 Imm. 🍳	Cervical Screening 📝
Consultation date: 17/05/2020 💷 🖪 🗾 🖳 🕅 🛣 🐲 🏠	Previous visits:	ALL		
Visit type: Surgery Consultation	Date	Recorded by:	Visit type	Reason for contact
Sunday May 17 2020 14:43:37	07/08/2018	Dr Phillip Lang	Surgery Consultation	
Dr Phillip Lang	17/05/2020	Dr Phillip Lang	Surgery Consultation	
Surgery Consultation				
Consultation date:       17/05/2020       B       I       I       F       Set       M         Visit type:       Surgery Consultation	Previous visits: Date 07/08/2018	Letters 🖗 Documents ALL Recorded by: Dr Phillip Lang	Visit type Surgery Consultation	



### Pathology and Diagnostic Imaging included

ocumentType:	All	×	Show last 3 month	ns only Update	
Exclude Medic	are documents:	Exclude prescription and disp	ense records 🛛 🗹 Exclude supersed	ed or removed documents Reset	
Current filter: Excl	uding Medicare do	cuments; Excluding prescription an	nd dispense records; Excluding supersec	ded or removed records	
Document Date	Service Date	Document	Organisation	Organisation Type	
22/11/2017		Medicines View		Local Government Healthcare Administration	
22/11/2017		Event Summary	Medical Center	Local Government Healthcare Administration	
22/11/2017		Shared Health Summary	Medical Center	Local Government Healthcare Administration	
03/04/2017		Shared Health Summary	Medical Center	General Practice	
03/04/2017		e-Referral	Medical Center	General Practice	
3/04/2017		Specialist Letter	Medical Center	General Practice	
03/04/2017		Discharge Summary	Medical Center	General Practice	
27/03/2017		Pathology Report	Sullivan Nicolaides Pathology Pathology and Diagnostic Imaging		
27/03/2017		Diagnostic Imaging Report	Imaging Queensland	Pathology and Diagnostic Imaging Services	
17/03/2017		Diagnostic Imaging Report	Wesley Medical Imaging	Pathology and Diagnostic Imaging Services	
7/03/2017		Pathology Report	Mater Pathology	Pathology and Diagnostic Imaging Services	
0/03/2017		Pathology Report	Pathology Queensland	Pathology and Diagnostic Imaging Services	
0/03/2017		Diagnostic Imaging Report	Brisbane Diagnostics	Pathology and Diagnostic Imaging Services	
01/03/2017		Diagnostic Imaging Report	Queensland Diagnostic Imaging	Pathology and Diagnostic Imaging Services	
01/03/2017		Pathology Report	QML Pathology	Pathology and Diagnostic Imaging Services	



### **My Health Record – Prescription & Dispense View**

	Prescribe and Dispense	Mr Caleb Derring	gton	
le Help	R			
9 1				
om: 16-Jun-2010	To: 24-Feb-2019 □ Group by: Prescription ✓ ✔ Collapse Medications	View	Save	
9				
	Prescription and Dispense View	v		
	Grouped by Prescription From 16-Jun-2010 To	24-Feb-2019		
Mr Caleb DI	ERRINGTON DoB 15-Jun-1933 (85y) SEX Male IHI 8003 6080 0	004 5922		
his view is r	START not a complete record of the individual's medicines information.			
Prescribed	Medicine Details	First Dispense	Last Dispense	Dispensed
3-Apr-201	7 E-Mycin 400 mg tablet: film-coated, 25	unavailable	unavailable	unavailable
unavailab	e E-Mycin 400 mg tablet: film-coated, 25, bottle	3-Apr-2017	3-Apr-2017	unavailable
	ADMINISTRATIVE DETAILS			

Patient		Author	
Name	Mr Caleb DERRINGTON	Device Name	My Health Record Simulator
Sex	Male		
Indigenous Status	Neither Aboriginal nor Torres Strait Islander	Clinical Document Det	ails
	origin	Document Type	PCEHR Prescription and Dispense View
Date of Birth	15-Jun-1933 (85y)	Creation Date/Time	24 Feb 2019 08:07+1000
IHI	8003 6080 0004 5922	Date/Time Attested	Not Provided
Address	Not Provided	Document ID	2.25.1637441973300314828621164580180430 21049
		Document Set ID	2a22e56f-1363-48e4-bd1d-f0a35ca078c7
		Document Version	1
		Completion Code	Final







Showing All O Q		
lealth Record Overview	Prescription and Dispense View	
linecal Documents		
Medicine Records	This view should not be wholly relied upon to be a complete record of prescribed and dispensed medicines.	
Consumer Documents	Note: Your search could return information created up to 2 hours before the start date and up to 5 hours after the end date you select. This is to cater for the different time zones in Austri	alia. At times
Dispense Record	this may mean the search will return information about healthcare events on the day before or after the date selected.	
13-Feb-2013 Dispense Record 13-Jan-2013 Dispense Record	Event date 08-Aug-2011 To 08-Aug-2013 Filter	
15-Nov-2012 Dispense Record	Group by Prescription	
Prescription Record 13 Jan-2013 Prescription Record	country of a secondarian T25	
15-Nov-2012 Prescription Record	Prescribed Medicine Details First Dispense Last Dispense	Dispensed
Prescription and Dispense View	16-Nov-2012 APO-Tramadol 16-Nov-2012 16-Nov-2012	1 df 6
hid Development	16-Nov-2012 Dispensed Tramadol hydrochloride - APO-TRAMADOL - 50 mg - 1 tablet pm - Tablet - Supply 20 - Original dispense	
ledicare Records	16-Nov-2012 Prescribed Tramadol hydrochloride - APO-TRAMADOL - 50 mg - 1 tablet pm - Tablet - Supply 20 - Dispense original and 5 repeate	
lore -		
	31-Crt-2010 Amoxil 250mg 13-Jan-2013 13-Feb-2013	2 of 3
	13-Feb-2013 Dispensed AMOXIL 250MG - One tablet three times a day- Supply 30 tablets - Repeat 1	
	13-Jan-2013 Dispensed AMOXIL 250MG - One tablet three times a day- Supply 30 tableta - Original dispense	
	13-Jan-2013 Prescribed AMOXIL 250MG - One tablet three times a day- Supply 30 tablets - Dispense original and 2 repeats	

S Commonwealth of Australia

Contact Us | Website Terms of Use | Peivacy | Accessibility



For you & your family For healthcare professionals

Kaliano / Italian

#### For healthcare professionals

As of June 30 2020, all individual NASH PKI certificates will be decommissioned. You will need a PRODA account to log in.

Sign up for one here

#### What is My Health Record?

My Health Record is a secure online summary of an individual's health information and is available to all Australians. Healthcare providers authorised by their healthcare organisation can access My Health Record to view and add patient health information.

Through the My Health Record system you can access timely information about your patients such as shared health summaries, discharge summaries, prescription and dispense records, pathology reports and diagnostic imaging reports.

#### **GET STARTED**

由

#### Register your organisation for My Health Record

Healthcare professionals can access patients' records in the My Health Record system through conformant clinical information systems or via the web-based and readonly Provider Portal.

#### Not registered yet?

Start registration process

#### **Provider Portal**

If you have a login to the Provider Portal, you can access it here:

Log in to Provider Portal

### **Suggested Next Steps**


- 1. Team meeting to educate and discuss how you will proceed.
- 2. Contact PHN for assistance if you are not yet set up for ePrescriptions and My Health Record.
- 3. Investigate connected pharmacies near you.
- 4. Access further education.
- 5. Implement a 'Quality Improvement Activity' in regard to updating patient mobile phone numbers and emails.







trainitmedical.com.au



https://vimeo.com/423908248



# . Good things can still happen in the midst of chaos.

-@theburntoutbrain

MyPositiveOutlooks.com

### Resources

#### ADHA EP Webpage


- <u>https://www.digitalhealth.gov.au/get-started-with-digital-health/electronic-</u> prescriptions
- <u>Prescriber</u> and <u>Dispenser</u> page weblinks
- Upcoming dedicated webinars

Department of Health EP Webpage

- <u>https://www.health.gov.au/initiatives-and-programs/electronic-prescribing</u>

Department of Health Fact Sheet:

- -<u>https://www.health.gov.au/resources/publications/covid-19-national-health-plan-primary-care-fast-track-electronic-prescribing</u>
- https://www.erx.com.au/eprescribing/
- http://www.medisecure.com.au/



#### Electronic Prescriptions

The delivery of electronic prescribing has been accelerated to allow you to receive vital healthcare services while maintaining physical distancing.



### Access eLearning course:

https://courses.trainitmedical.com.au/


### Enrolment Code: p8GsSTHo

Materials

🗐 Course 🛛 🎦

Presentation used in Nurse Connect WentWest Webinar
 Presentation used in WentWest & HealthDirect Webinar :

- 3. Telehealth Video Consultations Guide | RACGP
- 4. How to do video consultations well | ACRRM



# We're here to help you!

katrina@trainitmedical.com.au

Twitter: trainitmedical

Facebook: trainitmedical

www.trainitmedical.com.au Access more free practice resources & blog posts Subscribe to our blog

© Train IT Medical Pty Ltd. All information was provided in good faith and (to our knowledge) accurate as at 7/07/2020. No responsibility is taken for actions resulting from this learning. Screenshots may vary according to software versions. This video or Train IT Medical free resources should not be onsold or used as part of any business eLearning/LMS without the prior permission of Train IT Medical Pty Ltd.





trainitmedical.com.au